



CREATIVE PIPING SOLUTIONS PVT LTD.

An ISO 9001:2015 and OHSAS Certified Company



ASME

SETTING THE STANDARD



Forged Fittings



Industrial Flanges



Butt-weld Fittings



Fasteners



Branch-olet

Certificate

This is to Certify that
CREATIVE PIPING SOLUTIONS PRIVATE LIMITED

ADDRESS
 Reg. 138, Nirmal Niwas, 2nd Kumbharwada,
 Girgaon, Mumbai, Maharashtra, India
 has been found in Conformance with requirements of
Quality Management System
ISO 9001:2015
 for the following scope:

- Butt-weld Pipe Fittings,
- Forged Fittings Manufacturer
- Industrial Flanges
- Pre-fabricated Pipe Fittings

Certificate No: 02-02504C2020
 Original Certificate Date: 01/02/2019
 Issue Date: 01/02/2019
 Expiry Date: 01/02/2024

To check this certificate status visit:
<http://www.cpsc.co.in/cpsc/certification.asp>

Quality Control Certification

PRODUCT RANGE



BUTTWELD FITTINGS

STAINLESS STEEL: ASTM A403 WP 304 / 304L / 304H / 316 / 316L / 317 / 317L

/ 321 / 310 / 347 / 904L etc

CARBON STEEL: ASTM A234 WPB/A420, WPL3/A420, WPL6/ MSS-SP-75 WPHY

42/46/52/56/62/65/70.

ALLOY STEEL: ASTM A 234 WP1 / WP5 / WP9 / WP11 / WP22 / WP91 etc.

NICKEL ALLOY: Monel, Nickel, Inconel, Hastalloy, Copper, Brass, Bronze, Titanium, Tantalum, Bismuth, Aluminium, High Speed Steel, Zinc, Lead etc.

TYPES: Elbow, Tee, Reducer, Return Bends, Stub-Ends, Cap, Collar, Cross, Insert etc.

SIZE: 1/4" NPS to 48" NPS. (Seamless & Welded)

WALL THICKNESS: Sch.5S to Sch. XXS

STD: ANSI / DIN

More Details Visit: <http://www.creativepiping.com/buttweld-fittings/>



INDUSTRIAL FLANGES

STAINLESS STEEL: ASTM A182 F304 / 304L / 304H / 316 / 316L / 317 / 317L / 321 / 310 / 347 / 904L etc

CARBON STEEL: ASTM A105 /A694 F42 / 46 / 52 / 56 / 60 / 65 / 70 / A350 Lf2, etc.

LOW TEMPERATURE, CARBON STEEL: A333 Gr.3/Gr.6 etc.

OTHERS: Monel, Nickel, Inconel, Hastalloy, Copper, Brass, Bronze, Titanium, Tantalum,

Bismuth, Aluminium, High Speed Steel, Zinc, Lead etc.

TYPES: Weldneck, Slipon, Blind, Socket Weld, Lap Point, Spectacles, Ring Joint,

Oriface, Long Weldneck, Deck Flange, RTJ, Flange.

SIZE: 1/2" NPD to 60" NPS.

WALL THICKNESS: 150#, 300#, 400#, 600#, 900#, 1500# & 2500#.

STD: ANSI / DIN / EN / BS / JIS.

For More Details Visit: <http://www.creativepiping.com/industrial-flanges/>



FORGED FITTINGS

STAINLESS STEEL: ASTM A182 F304 / 304L / 304H / 316 / 316L / 317 / 317L / 321 / 310 / 347 / 904L etc

CARBON STEEL: ASTM A105 /A694 F42 / 46 / 52 / 56 / 60 / 65 / 70 / A350 LF2, etc.

ALLOY STEEL: ASTM A182 F2 / F5 / F9 / F11 / F22 / F91 etc.

OTHERS: Monel, Nickel, Inconel, Hastalloy, Copper, Brass, Bronze, Titanium, Tantalum,

Bismuth, Aluminium, High Speed Steel, Zinc, Lead etc.

TYPES: Elbow, Tee, Union, Cross, Coupling, Cap, Bushing, Plug, Swage, Nipple, Welding

Boss, Hexagon Nipple, Barrel Nipple, Welding Nipple, Parallel Nipple, Street Elbow,

Hexagon Nut, Hose Nipple, Bend, Adapter, Insert.

SIZE: 1/4" NPS to 4" NPS.

CLASS: 3000#, 6000#, 9000#.

For More Details Visit: <http://www.creativepiping.com/forged-fittings/>



BRANCH-OLET

SPECIFICATIONS: ASTM B 564 / ASTM SB 564

DIMENSIONS: ASTM 16.11, MSS SP-79, 83, 95, 97, BS 3799

SIZE: 1/8"-4" (DN6-DN100)

MATERIAL: Stainless Steel, Carbon Steel, Alloys Steel, Monel, Nickel, Inconel, Hastalloy, Copper, Brass, Bronze, Titanium, Tantalum, Bismuth, Aluminium, High Speed Steel, Zinc, Lead etc.

TYPES: Welding Olet, Sock Olet, Threaded Olet, Lateral Olet, Elbow Olet, Nippe Olet,

SIZE: 1/4" NPS to 4" NPS.

CLASS: 3000#, 6000#, 9000#.

For More details Visit- <http://www.creativepiping.com/forged-fittings/>

Pre-fabricated Pipe Fittings Spool-

Flanged elbow Flanged elbow is flange welded to the end of elbow. It maybe one end or two end. The flanged end will connected to flange directly. The elbow could be according to ASME B 16.9, EN10253 or GOST17375 The flange will be according to ASME B16.5, EN1092 or GOST.

Size : 1/2" to 96"

Pressure : 150# to 2500#

Material : Stainless Steel, Carbon Steel, Alloys Steel, Monel, Nickel, Inconel, Hastalloy, Copper, Brass, Bronze, Titanium, Tantalum,

For More Details Visit: <http://www.creativepipig/pipe-spool/>



Pre-fabricated Pipe Fitting

STAINLESS STEEL: AISI 302, 304, 304l, 316, 316L, 310, 317, 317L, 321, 347, 410, 420, 904L etc

CARBON STEEL: Bare Condition, Galvanized Phosphetised, Cadum Plated, Hot Deep Gavanized, Bloodied, Nickel Chrome Plated etc.

ALLOY STEEL: 4.6, 5.6, 6.6, 8.8, 10.9, & 12.9 / 'R', 'S', 'T' Conditions.

NON FERROUS METAL: Copper, Brass, Aluminium, Titanium, Nichrome, Al. Bronze Phosphoros Bronze, etc

TYPES: Bolt, Nuts, Washer, Anchor Fastener, Stud Bolts, Eye Bolt, Stud, Threaded Rod, Cotter Pin, Socket Screw, Fine Fasteners & Spares, Foundation Fasteners etc.



FASTENERS



Lateral Tee

STAINLESS STEEL: AISI 302, 304, 304L, 316, 316L, 310, 317, 317L, 321, 347, 410, 420, 904L etc

CARBON STEEL: Bare Condition, Galvanized Phosphetised, Cadum Plated, Hot Deep Gavanized, Bloodied, Nickel Chrome Plated etc.

ALLOY STEEL: 4.6, 5.6, 6.6, 8.8, 10.9, & 12.9 / 'R', 'S', 'T' Conditions.

NON FERROUS METAL: Copper, Brass, Aluminium, Titanium, Nichrome, Al.Bronze Phosphoros Bronze, etc

TYPES: Equal Lateral Tee, Reducing Lateral Tee

For More Details Visit: <http://www.creativepiping.com/lateral-tee/>



Hot Induction Bend

Pipe Diameter (O.D): min. 2" (60,3 mm); max 60" (1524 mm)

Radius: min. 100 mm; max. 11000 mm

Wall thickness: max. 200 mm/ 3mm- 40mm / SCH5, SCH10, SCH20, SCH30, SCH40, STD, SCH80, XS, SCH60, SCH80, SCH120, SCH140, SCH160, XXS

Pipe Bend Angle: 0°- 180°

- Pipe Bend Standards: ASTM A403- ASME SA403 – Standard Specification ASME B16.9, ASME B16.25, ASME B16.28, MSS SP-43, ASME B16.49

Production Grades: Carbon Steel, API 5L, ASTM A106 Grade B, Stainless Steel, Alloy Steel, Duplex, Nickel Alloys, Low temperature Steel, Copper, Cupro Nickel, Inconel, Monel, Hastelloy

For More details Visit: <http://www.creativepiping.com/hot-induction-bend>



Split Tee

SPECIFICATION

Standards : ANSI B31.1, B31.3, ANSI B31.4 & B31.8 ASME Sec. VIII Div.1 & 2

Size: 2" TO 48"

Pressure Ratings: 150# TO 2500#

Stainless Steel Split Tee: ASTM A403 F304, F304L, F310, F316, F316L, F317, F317L

Carbon Steel Split Tee: ASTM A234 WPB, A860 WPHY 42, WPHY 46, WPHY 52, WPHY 60, WPHY 65, WPHY 70.

Low Temperature Carbon Steel Split Tee: ASTM A420 WPL3, WPL6

For More Details Visit: <http://www.creativepiping.com/split-tee/>

Standards:

ANSI – B 16.9 ASTM A403 – ASME SA403. API 590-605 ASME B16.9 ASME B16.25, ASME B16.28 , Corrosion Resistant Applications'

Schedule: 5S, 10S, 20S, S10, S20, S30, STD, 40S, S40, S60, XS, 80S, S80, S100, S120, S140, S160, XXS and etc.

Sizes: 1/2" TO 36"(SEAMLESS UPTO 24")(WELDED 8" TO 36")

Materials: Monel, Nickel, Inconel Hastalloy, Titanium, Stainless Steel, Alloy Steel, Carbon Steel

Type: Butt Weld (BW)

Dimension: ANSI B16.9, ANSI B16.28, MSS-SP-43 Type A, MSS-SP-43 Type B, JIS B2312, JIS B2313



Barrel Tee

